



# VOCALITY RoIP: THE INTEROPERABILITY BREAKTHROUGH



# Table of Contents

Abstract and Introduction	03
Why Interoperability is Mission-Critical	04
What Federal Agencies Require	05
The Solution: Vocality RoIP	06
Real-World Validation: BLM’s Wildfire Response	07
Proven Performance Across Federal Missions	08
Interoperability Is No Longer Optional	08
APPENDIX A    TECHNICAL APPENDIX: VOCALITY ROIP	09
The Vocality VRoK: A Complete, Ruggedized Kit	09
1. System Architecture and Connectivity	10
2. Supported Platforms and Technologies	10
3. Hardware and Form Factor Details	11
4. Detailed Use Case: BLM Wildfire Response	12



## A Strategic White Paper on Achieving Seamless, Secure, Scalable, and Interoperable Voice Communications

### Abstract

Federal agencies continue to face significant communication challenges due to a fragmented and incompatible network of Land Mobile Radio (LMR) systems. As proven by the catastrophic failures during Hurricane Katrina and the persistent interoperability gaps in the Butler assassination attempt, these vulnerabilities can severely undermine coordinated response efforts and endanger lives. This white paper introduces the Vocality RoIP, a purpose-built gateway that solves this critical problem. By seamlessly connecting disparate radio technologies over a secure IP network, the Vocality RoIP unifies voice communications, enabling real-time cross-agency and cross-jurisdictional collaboration. It supports a wide range of platforms, including Push-to-Talk over Cellular (PTToC) and third-party dispatch systems. The document highlights the technology's field-proven reliability. Ultimately, the Vocality RoIP provides a secure, scalable solution that is critical for mission success and ensures the lessons of the past are applied.

### Introduction

#### Key Terms Defined

To fully understand the challenges and solutions discussed in this white paper, here are simple definitions for key terms:

- **Land Mobile Radio (LMR):** This is the official term for the two-way radio systems used by professionals like police, firefighters, and paramedics. Unlike consumer “walkie-talkies,” LMR systems work on dedicated frequencies and use robust infrastructure to ensure reliable communication.
- **Gateway:** In this context, a gateway is a special piece of hardware or software that acts as a bridge. Its job is to translate voice traffic and signals from one type of communication system (like a radio) into a format that can be used by another (like a computer network or a cell phone).
- **Push-to-Talk over Cellular (PTToC):** This technology turns a standard cell phone or other mobile device into a walkie-talkie. It uses a cellular network to enable instant, two-way communication with the press of a single button. It is a modern alternative to traditional LMR systems.

## Why Interoperability Is Mission-Critical

In today's operational landscape, federal agencies face increasingly complex missions, ranging from coordinated disaster response to multi-agency tactical deployments. Whether supporting homeland security, defense operations, or emergency management, one truth is still constant: communication is the backbone of mission success.

Yet, despite billions invested in communications infrastructure, interoperability stays elusive. The devastating lessons of the past are not fully learned.


In 2005, Hurricane Katrina exposed a catastrophic communication failure. As the storm hit, a New Orleans Police Department radio system collapsed, leaving hundreds of officers isolated. Arriving federal and state agencies, using incompatible radio systems, were unable to communicate with local responders. The result was a breakdown of command and control that tragically delayed rescue efforts and compounded the chaos.

Nearly 20 years later, during the 2024 assassination attempt in Butler, Pennsylvania, a similar vulnerability was exposed. The high-stakes security operation involved the Secret Service, Pennsylvania State Police, and local law enforcement, but these agencies were using different radio frequencies. According to later reports, this lack of a unified communication network hindered real-time coordination and situational awareness, making it more difficult to quickly share critical information and respond in a life-or-death situation.

From a sprawling natural disaster to a targeted tactical event, the lesson is clear: agencies are still flying blind. And in high-stakes scenarios, that's not just inefficient, it is dangerous. These incidents highlight persistent, systemic challenges that continue to plague federal communications.

### Key challenges include:

- **Technological Fragmentation:** Decades of independent procurement have led to a patchwork of incompatible Land Mobile Radio (LMR) systems, operating on frequencies and transmission standards that prevent real-time cross-agency voice communications.
- **Operational Constraints:** Missions unfold in unpredictable environments, from urban centers to austere rural zones. Budget and personnel limitations often restrict pre-event planning and staging.
- **Rapid Deployment Needs:** In a crisis, there is no time for complex setup. Agencies need plug-and-play solutions that work out of the box, without engineering support.



**Bottom line:** The persistent failure of communication interoperability is a vulnerability that continues to put lives at risk. Without a unified interoperability platform, our most critical missions cannot succeed.

## What Federal Agencies Require

Federal agencies need more than just another radio; they need an interoperability solution that:

- Connects disparate radio systems into a unified voice network.
- Enables real-time coordination across jurisdictions and technologies.
- Supports Push-to-Talk over Cellular (PTToC) and modern voice platforms.
- Deploys quickly and intuitively in rural, urban or remote environments.
- Provides secure, encrypted voice traffic across all channels.
- Scales to meet the needs of small teams or large command posts.
- Translates voice traffic across 100+ languages for coalition operations.

This isn't a wish list; it's a strategic imperative. This is exactly what Vocality RoIP delivers.




Figure 1: OV-1 Vocality RoIP

## The Solution: Vocality RoIP

Vocality RoIP is a purpose-built gateway that transforms fragmented communications into a unified, secure, and scalable voice ecosystem. It's not just a product; it's an interoperability platform ensuring mission success.

- **Connects Disparate Radios:** Vocality RoIP connects radios across different frequencies, protocols, and manufacturers (UHF, VHF, P25, analog, digital, military radios) into a single talk group.
- **Push-to-Talk Integration:** The solution extends interoperability to PTTtoC platforms and mission-critical mobile apps, enabling voice coordination across cellular networks and smart devices. It supports major carriers including AT&T, FirstNet, T-Mobile, and Verizon.
- **Intuitive User Interface:** With a browser-based user interface, Vocality RoIP is simple to configure and manage. Auto-configuration wizards and integrated help features allow end users to create talk groups and manage audio ports, no engineering degree needed.
- **Translate Live Conversations:** A groundbreaking optional feature: live voice translation across 100+ languages. For multinational missions, this ensures that US and coalition partners can communicate instantly and effectively, regardless of native language or radio system.
- **Secure Mesh Networking:** The Rally Tactical Engage Bridge option enhances Vocality RoIP by creating a secure, multicast mesh network. This encrypted overlay ensures private voice traffic and allows new nodes to be added with minimal configuration, ideal for dynamic, scalable deployments.
- **Embedded & Modular Options:** Vocality RoIP is available as a standalone gateway or embedded in ruggedized platforms:
  - M3X-RoIP: Compact, tactical RoIP gateway for mobile field teams.
  - RoIP Rack Kit: Rack-mountable integration for fixed installations.
  - RoIP Connect: Expansion module for increased ability.



## Real-World Validation: BLM's Wildfire Response Unified Communication Platform

The Bureau of Land Management (BLM) has addressed the critical issue of radio communication interoperability in wildfire response by piloting a new technological solution (Denver7 News, 2024). This program utilizes specialized communication kits that are centered around the Vocality RoIP gateway, and an Instant Connect Enterprise (ICE) media server. This technology suite creates a unified communication platform that allows different radio systems, such as those used by ground crews and air support to communicate seamlessly and in real time (Instant Connect, n.d.). This capability proved essential during a wildfire in Oregon, where the unified system enabled rapid, coordinated communication among all personnel following an air tanker crash, ensuring both personnel safety and mission continuity (Denver7 News, 2024).



## Proven Performance Across Federal Missions

Vocality RoIP has been successfully deployed across all branches of the Department of War, as well as civilian agencies supporting homeland security, emergency response, and public safety.

- **Integrated with Industry Leaders:** Vocality RoIP integrates seamlessly with leading dispatch systems and mobile apps:
  - Dispatch Systems Supported: Motorola Solutions MCC 7500, MCD 5000, Kodiak Dispatch, L3Harris Symphony & CS7000, Zetron ACOM & MAX Dispatch, Catalyst Comm Propulsion, Instant Connect Command and Control, Intertalk, Cistera R2R
  - Mission-Critical Mobile Apps: AT&T FirstNet® PTT & Rapid Response, Verizon PTT+ & Group First Response, Motorola Wave, Motorola WAVE PTX, T-Mobile Direct Connect, Instant Connect Enterprise (ICE)
- **RESTful API for Integration:** Vocality RoIP offers a RESTful API for remote configuration and software upgrades. Agencies can integrate the gateway into existing management platforms, ensuring continuity, security, and ease of use.

Beyond our proven record with federal agencies, the Vocality RoIP's capabilities are consistently confirmed by its role in new product releases and its certification for use on AT&T FirstNet® and major carrier networks. The product is the cornerstone of solutions designed for a wide range of users, from first responders and utility companies to military special operations forces. This widespread adoption confirms its value as a mission-critical tool for seamless, interoperable communications.

Our robust warranty is specifically designed to meet the rigorous demands of federal agencies, providing a clear and comprehensive advantage in mission-critical operations. The Vocality RoIP is a strategic investment that extends the service life of your existing radio infrastructure, eliminating the need for costly replacements. This allows agencies to maximize their prior investments and utilize their existing infrastructure while modernizing their communication capabilities.

Unlike standard commercial off-the-shelf (COTS) warranties, which typically offer only a one-year term, our specialized hardware and software products are backed by an industry-leading five-year warranty. This extended coverage ensures a significantly lower total cost of ownership (TCO) by minimizing the need for frequent replacements or out-of-warranty repairs. Furthermore, our warranty specifies a clear, transparent process for addressing non-conformities, including a commitment to repair or replace defective products at no cost to the end user. This commitment to long-term reliability and operational continuity provides the government with the assurance necessary to confidently deploy our solutions in the most demanding environments.

## Interoperability Is No Longer Optional

For federal agencies, communication interoperability is not a luxury, it's a necessity. The risks of fragmented systems are too great. The cost of failure is too high.

The lessons from Hurricane Katrina and the Butler assassination attempt, two decades apart, prove that this is a persistent problem. Vocality RoIP is the answer. It is secure, scalable, field-proven, and ready to deploy. Whether you're coordinating a multi-agency response or managing a tactical operation, Vocality RoIP ensures your teams can communicate clearly, instantly, and securely.

We invite you to explore how Vocality RoIP can transform your agency's communications infrastructure. Let's discuss your mission requirements and schedule a live demonstration.

## APPENDIX A TECHNICAL APPENDIX: VOCALITY ROI P

The following sections provide a more detailed technical overview of the Vocality RoIP solution, its components, and its operational capabilities, intended to supplement this white paper.

### Technical Specifications

The Vocality RoIP is a robust and versatile solution designed for mission-critical environments. Key specifications include:

- **Extensive Radio Compatibility:** The gateway supports over 4,000 LMR makes and models, allowing it to easily integrate with and bridge a wide variety of existing radio technologies, regardless of brand, frequency, or protocol.
- **Durable and Compact Form Factor:** Designed for field deployment, the device has an optimal Size, Weight, and Power (SWaP) footprint, with a typical power consumption of only 5W. It is built to run in extreme conditions, with an operating temperature range of -40°C to +80°C.
- **Flexible Connectivity:** The Vocality RoIP supports multiple connectivity options, including two Ethernet ports and an embedded 4G LTE modem. It is certified for use on major carrier networks like AT&T, FirstNet®, T-Mobile, and Verizon, ensuring reliable communications across diverse environments.

### The Vocality VRoK: A Complete, Ruggedized Kit

The Vocality VRoK is a tactical, Radio over IP Kit that provides a complete, ruggedized solution for field deployments. Housed in a durable, IP67-rated case, the kit is designed for rapid setup and operation in challenging environments. The VRoK is equipped with an integrated rechargeable battery, providing up to 2.5 hours of continuous operation, and is also compatible with external power sources (10VDC to 32VDC). It is a key part to extend the capabilities of the Vocality RoIP to the tactical edge.



### Additional Technical Details

- **Crossbanding:** The device can cross-band communications between different radio frequencies, such as VHF and UHF. This is essential for ensuring that diverse radio users can communicate with one another without needing a central dispatcher.
- **Multiple Radio Support:** A single Vocality RoIP device can connect to four radio systems simultaneously, and this can be expanded to eight with the optional RoIP Connect USB expansion module. This allows for a single unified network regardless of radio brand or technology.

## 1. System Architecture and Connectivity

The Vocality RoIP gateway functions as a protocol converter and voice bridge that connects various communication endpoints over an IP network. Its core function is to transport voice traffic, including Push-to-Talk (PTT) signaling, from one radio system to another, regardless of the underlying technology.

- **Radio Crossbanding:** The system uses audio ports to interface with Land Mobile Radio (LMR) systems (UHF, VHF, P25, etc.). It digitizes the analog or digital radio audio and packages it for transmission over a network using Voice over IP (VoIP) protocols.




Figure 2: Radio Crossbanding

- **IP Network Integration:** The gateway is equipped with multiple connectivity options, including Ethernet, embedded LTE modem, and satellite integration, to ensure seamless operation in diverse environments.
- **Encapsulation and Translation:** The system encapsulates radio voice traffic within IP packets. For different radio types, it manages the nuances of their signaling (e.g., squelch, PTT keying) to ensure a smooth, end-to-end voice path.

## 2. Supported Platforms and Technologies

This section provides a comprehensive list of the specific technologies and standards supported by the Vocality RoIP gateway.

- **LMR Standards:**
  - Analog (FM)
  - P25 Conventional and Trunking
  - DMR (Digital Mobile Radio)
  - TETRA
  - Military-grade radios (e.g., SINCGARS, HAVEQUICK)
- **VoIP Protocols:** The system supports standard VoIP protocols, including Session Initiation Protocol (SIP) and Secure SIP for telephone system integration, RTP streaming, and proprietary protocols for optimized PTT communications.
- **Push-to-Talk over Cellular (PTToC) and Mission-Critical PTT (MCPTT):**
  - AT&T FirstNet® PTT & Rapid Response
  - Verizon PTT+ & Group First Response
  - T-Mobile Direct Connect
  - Motorola WAVE PTX
  - Motorola WAVE 5000 (Legacy WAVE)
  - Instant Connect Enterprise (ICE)
- **API and Management:** The RESTful API allows for remote configuration, software upgrades, and integration with third-party management systems. It uses HTTPS for secure API communication and can use custom certificates.

### 3. Hardware and Form Factor Details

This section adds a more technical breakdown of the product family mentioned in the white paper

- **Vocality RoIP Gateway:** A compact, standalone unit with four audio ports and an integrated LTE modem.

- Dimensions: 4" x 4" x 1"
- Weight: >10 oz
- Power: Low power draw, suitable for battery-powered or tactical operations.



- **M3X-RoIP:** A ruggedized, expeditionary module and part of the M3-Series modular computing platform. It connects to four separate radio systems.
- **Expansion:** The RoIP Connect module provides more audio ports and GPIO capabilities, allowing for increased ability without needing an added gateway.



#### 4. Detailed Use Case: BLM Wildfire Response

The U.S. Bureau of Land Management (BLM) has addressed a longstanding, critical issue in wildland firefighting: the fragmentation of communication systems. For decades, federal agencies have struggled with the inability of different radio technologies to communicate with one another, creating significant safety and coordination risks in multi-agency operations (Department of the Interior, 2007; U.S. Government Accountability Office, 2009). In response to this persistent challenge, the BLM launched a pilot program deploying specialized communication kits to bridge this technology gap, a project funded by a \$2.76 million contract as part of the Bipartisan Infrastructure Law (Bureau of Land Management, 2024).

##### **The Problem:**

Wildfire response teams rely on a complex mix of communication technologies that typically cannot interact directly. On the fire line, crews use different VHF or UHF radio frequencies. At the same time, air support, including helicopters and air tankers, operates on distinct aviation frequencies. Regional command centers, meanwhile, communicate using modern P25 systems. This technological fragmentation makes it impossible for ground crews, air support, and command staff to coordinate in real time. Without a unified system, ground crews cannot speak directly to an air tanker pilot, and a regional command center cannot instantly communicate with a specific team on the fire line.

##### **The Solution:**

To solve this critical problem, the BLM's pilot program provided teams with a ruggedized, field-ready communication kit centered on the Vocality RoIP gateway. This gateway acts as a crucial bridge, connecting disparate radio systems and translating their signals to a unified IP network. This technology is paired with an Instant Connect Enterprise (ICE) media server to manage all communication channels, including VHF ground crews, air-to-ground traffic, and P25 command networks over a single platform (Instant Connect, n.d.). As Morgan Gill, a BLM telecommunications specialist, described, the system functions like a "multi-tool" that doesn't rely on a single piece to operate, allowing for seamless integration of personnel from various agencies (Denver7 News, 2024).

##### **Real-World Application:**

The value of this solution was confirmed during a wildfire in Oregon. When an air tanker crashed mid-operation, the communication kit had already unified the disparate radio systems. As a result, all ground crews, air support, and command staff were able to communicate instantly on a single talk channel. This real-time interoperability enabled rapid coordination, which was critical for ensuring the safety of personnel and continuing the mission. The incident demonstrated that having a pre-positioned interoperability solution is not just an advantage, but a necessity for preventing communication breakdowns during high-stakes events (Denver7 News, 2024).

This case study is based on publicly available information from government and news sources and is intended for informational purposes. It does not imply an official endorsement by the Bureau of Land Management or any other government agency.

## References

**Bureau of Land Management.** (2024, September 12). BLM awards \$2.76 million contract for advanced wildfire communication kits as part of Investing in America agenda. Retrieved from <https://www.blm.gov/press-release/blm-awards-276-million-contract-advanced-wildfire-communication-kits-part-investing>

**Denver7 News.** (2024). BLM turns to specialized communication kits to improve radio interoperability during wildfires. Retrieved from <https://www.denver7.com/news/wildfire/blm-turns-to-specialized-communication-kits-to-improve-radio-interoperability-during-wildfires>

**Department of the Interior, Office of the Inspector General.** (2007). U.S. Department of the Interior radio communications program. Retrieved from <https://www.doioig.gov/sites/default/files/2021-migration/2007-G-00042.pdf>

**Instant Connect.** (n.d.). Public safety communications platform. Retrieved from <https://www.instantconnectnow.com/public-safety/>

**U.S. Government Accountability Office.** (2009). Wildfire suppression: Federal agencies face challenges in their efforts to coordinate and to identify and share firefighting resources. (GAO-09-519). Retrieved from <https://www.gao.gov/assets/gao-09-519.pdf>

**Cubic | Vocality**

21580 Beaumeade Circle, Suite 230  
Ashburn, VA 20147 United States  
t: +1 (703) 787 9133  
f: +1 (703) 787 9136  
e: [vocality.sales@cubic.com](mailto:vocality.sales@cubic.com)

Rev 4 - 30SEP2025

Approved for Public Release CDA-25-0096

[www.cubic.com/vocality](http://www.cubic.com/vocality)

